



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/542,850	06/13/2006	Hans-Detlef Luginsland	274669US0PCT	5763
22850 7590 07/24/2009 OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314				
EXAMINER				
PARVINI, PEGAH				
ART UNIT		PAPER NUMBER		
1793				
NOTIFICATION DATE		DELIVERY MODE		
07/24/2009		ELECTRONIC		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com
oblonpat@oblon.com
jgardner@oblon.com



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

**BEFORE THE BOARD OF PATENT APPEALS
AND INTERFERENCES**

Application Number: 10/542,850
Filing Date: June 13, 2006
Appellant(s): LUGINSLAND ET AL.

Kirsten A. Grueneberg
For Appellant

EXAMINER'S ANSWER

This is in response to the appeal brief filed April 16, 2009 appealing from the Office action mailed July 16, 2008.

(1) Real Party in Interest

A statement identifying by name the real party in interest is contained in the brief.

(2) Related Appeals and Interferences

The examiner is not aware of any related appeals, interferences, or judicial proceedings which will directly affect or be directly affected by or have a bearing on the Board's decision in the pending appeal.

(3) Status of Claims

The statement of the status of claims contained in the brief is correct.

(4) Status of Amendments After Final

No amendment after final has been filed.

(5) Summary of Claimed Subject Matter

The summary of claimed subject matter contained in the brief is correct.

(6) Grounds of Rejection to be Reviewed on Appeal

The appellant's statement of the grounds of rejection to be reviewed on appeal is substantially correct. The changes are as follows: claim 8 had been rejected over two different combinations; one is Esch et al. in view of Boyer et al. as applied to claim 1 and in further view of Uhrlandt et al., the other is Esch et al. in view of Luginsland as applied to claim 1 and further in view of Uhrlandt et al. However, these have not been cited in the Appeal Brief.

(7) Claims Appendix

The copy of the appealed claims contained in the Appendix to the brief is correct.

(8) Evidence Relied Upon

5,846,506	Esch et al.	12-1998
5,935,543	Boyer et al.	08-1999
2002/0022693	Luginsland	02-2002
6,180,076	Uhrlandt et al.	01-2001

(9) Grounds of Rejection

The following ground(s) of rejection are applicable to the appealed claims:

Claim Objections

Claim 24 is objected to because of the following informalities: said claim is dependent upon a withdrawn claim. Appropriate correction is required.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-8, 18-19 and 21-23 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-9, 16-17, and 19-21 of copending Application No. 10/542,763. Although the conflicting claims are not identical, they are not patentably distinct from each other because there are overlapping ranges between the physical and chemical properties claimed for precipitated silica in both applications; furthermore, both applications claim same structure for organosilanes used to modify silica. Moreover, they both claim the same intended use for the claimed precipitated silica such as in vulcanizable rubber.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-7, 18-19, and 23-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent No. 5,846,506 to Esch et al. in view of US Patent No. 5,935,543 to Boyer et al.

Regarding claims 1 and 30-31, Esch et al. disclose precipitated silica with the physiochemical properties such as BET surface area of 35 to 350 m²/g, CTAB surface

area of 30 to 350 m²/g, BET/CTAB surface area ratio of 0.8 to 1.1, DBP value of 150 to 300 ml/100 g, Sears value of 6 to 20 (column 1, lines 42-67; column 2, lines 12-20, 30-41). The ratio of Sears value to BET, as calculated, is found to be between 0.0571 to 0.17 (6/35 and 20/350).

Esch et al. teach a composition having overlapping ranges of physiochemical properties as that claimed in the instant invention for the substantially similar composition. Even though the reference does not disclose an anticipatory example or range, which is sufficiently specific to anticipate the present claims, as noted above, the reference teaches overlapping ranges of physiochemical properties for the same composition with the present claims, and overlapping ranges have been held to establish *prima facie* obviousness. See MPEP § 2144.05. Therefore, it would have been obvious, at the time of the invention, to have selected the overlapping portion of the range because overlapping ranges have been held to establish *prima facie* obviousness. See MPEP § 2144.05.

With reference to moisture level, it is noted that the Esch et al. disclose substantially similar precipitated silica with overlapping ranges in the disclosed physiochemical properties as that claimed in the instant invention for precipitated silica, which has substantially similar intended use. The prior art do not expressly disclose a moisture level; however, Esch et al. disclose a substantially similar process of making (column 2, lines 42-65) for the precipitated silica which has similar intended use such as in vulcanizable rubber mixture. Esch et al., further, disclose that said invention exhibits better properties such as higher modulus, lower tan δ as a measure of tire rolling

resistance, better abrasion resistance, better heat build-up performance and more (column 5, lines 46-54). Thus, a moisture level, within the claimed range, is expected from the disclosed precipitated silica.

As noted above, Esch et al. disclose a process of making said silica. Esch et al. do not expressly disclose the use of said silica as a battery separator, in a coating, paint or ink or a personal care product.

Boyer et al., also drawn to precipitated silica having similar physiochemical properties such as overlapping ranges of CTAB, 140 to 185 m²/g, and DBP, 210 to 310 cm³/g, expressly disclose that variations in the parameters and/or conditions during production result in variations in the types of precipitated silica produced (Abstract; column 1, lines 20-23; column 2, lines 12-15, 25-2). Additionally, Boyer et al. disclose the use of said silica in a battery separator (column 5).

Therefore, at the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify Esch et al. in order to include the moisture level of 4-8% motivated by the fact that Boyer et al., also drawn to the same field of art, teach that different properties can be achieved by variations in parameters and/or conditions during production. It would, also, be obvious to combine Esch et al. with Boyer et al. to obtain the invention as claimed in claim 30 motivated by the fact that Boyer et al. disclose the use of silica which has substantially overlapping ranges of DBP and CTAB with the instant application in a battery separator. Nevertheless, it should be noted that it is well settled in the art to use silica in paints and paper products.

Regarding claim 2, Esch et al. disclose BET/CATB ratio of 0.8 to 1.1 (column 1, lines 45-55; column 2, lines 31-41).

Regarding claim 3, Esch et al. disclose Sears value of 6 to 20 (column 1, lines 45-55; column 2, lines 13-20).

Regarding claim 4, Esch et al. disclose CTAB surface area of 30 to 350 m²/g (column 1, lines 45-55). Moreover, Boyer et al. disclose CTAB surface area of 160 to 185 (column 2, lines 25-27, 31-41).

Regarding claim 5, Esch et al. disclose DBP value of 150 to 300 (column 1, lines 45-55). In addition, Boyer et al. disclose DBP value of from 210 to 310 (column 1, lines 21-22).

Regarding claims 6-7, Esch et al. disclose BET surface area of 35 to 350 m²/g (column 1, lines 45-55; column 2, lines 13-20, 31-41).

Regarding claim 18, Esch et al. disclose the same structure for the organosilanes used to modify precipitated silica (column 2, lines 66-67; column 3, lines 1-31).

Regarding claim 19, Esch et al. disclose a similar organosilane compound, used to modify precipitated silica, based on formula (III), R_n¹(RO)_{3-n}Si(Alkenyl), in which n=3

and R¹: alkyl (column 3, lines 5-14). It is noted that based on the recitation of claim 19 of "...SiR²_{4-n}X_n (where n=1, 2, 3, 4)..." as one type of organosilanes, and considering n=1, X:alkenyl, and R²:alkyl, Esch et al. reads on the limitations of claim 19.

Regarding claims 23 and 25-26, Esch et al. disclose a vulcanizable rubber compounds comprising of disclosed precipitated silica having substantially overlapping ranges of the physiochemical properties as discussed in details above (column 1, lines 40-67; column 2, lines 13-20, 31-41; column 3, lines 42-45).

Esch et al. teach a substantially similar structure for the organosilanes used to modify precipitated silica as discussed in details above (column 2, lines 65-67; column 3, lines 1-31).

Regarding claim 24, Esch et al., as discussed in details above, disclose precipitated silica having substantially overlapping ranges of physiochemical properties as claimed in the instant invention.

Furthermore, claim 24 is a product-by-process claim. With reference to product-by-process claims, MPEP states:

"[E]ven though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process."

Regarding claim 27, Esch et al. disclose that modification with organosilanes may be performed in mixtures of 0.5 to 50 parts of organosilanes, related to 100 parts of

precipitated silica, in particular 2-15 parts, related to 100 parts of precipitated silica, wherein the reaction between the precipitated silica and silane may be performed during compounding (in situ) or outside the compounding process (premodified).

Regarding claim 28, Esch et al., as discussed in details above, disclose vulcanizable rubber compounds which have the precipitated silica being incorporated into them (column 1, lines 40-67; column 2, lines 12-20, 31-41; column 3, lines 42-45; column 4, lines 30-33).

Regarding claim 29, Esch et al. disclose the claimed precipitated silica and its properties, as discussed in details above; furthermore, the prior art disclose incorporating/adding it into vulcanizable rubber compounds (column 1, lines 40-67; column 2, lines 12-20, 31-41; column 3, lines 42-45; column 4, lines 30-33).

Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Esch et al. in view of Boyer et al. as applied to claim 1 above and further in view of US Patent No. 6,180,076 to Uhrandt et al.

Regarding claim 8, Esch et al. in view of Boyer et al. disclose precipitated silica having overlapping ranges of the physical and chemical properties as that claimed in the instant application.

Although the references as combined do not disclose a ratio of Sears value to the BET surface area of from 0.180 to 0.370, Uhrlandt et al., also drawn to precipitated silica, disclose BET surface area of between 120-300 m²/g and Sears index of between 6-25 ml which would result in a range of Sears value to BET ratio of from about 0.02 to 0.208 (Abstract; columns 1-2). Furthermore, Uhrlandt et al. disclose CTAB surface area of from 100-300, ratio of BET to CTAB of from 0.8-1.3, and DBP index of from 150-300.

Therefore, it would have been obvious to modify Esch et al. in view of Boyer et al. in order to obtain a ratio of Sears value to BET within the range 0.180 to 0.370 as that taught by Uhrlandt et al. motivated by the fact that Uhrlandt et al. teach a substantially similar precipitated silica having substantially similar physical and chemical properties; furthermore, this combination is motivated by the fact that said silica (Uhrlandt et al.) can be dispersed significantly better in rubber mixtures (column 2, lines 34-65).

Claims 1-7, 18-19, are 23-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent No. 5,846,506 to Esch et al. in view of US Patent Application Publication No. 2002/0022693 to Luginsland.

Regarding claim 1, Esch et al. teach precipitated silica with the physiochemical properties such as BET surface area of 35 to 350 m²/g, CTAB surface area of 30 to 350 m²/g, BET/CTAB surface area ratio of 0.8 to 1.1, DBP value of 150 to 300 ml/100 g, Sears value of 6 to 20 (column 1, lines 42-67; column 2, lines 12-20, 30-41). The ratio

of Sears value to BET, as calculated, is found to be between 0.0571 to 0.17 (6/35 and 20/350).

Esch et al. teach a composition having overlapping ranges of physiochemical properties for the same composition with instant claims. Even though the reference does not disclose an anticipatory example or range which is sufficiently specific to anticipate the present claims, as noted above, the reference teaches overlapping ranges of physiochemical properties for the same composition with the present claims. Overlapping ranges have been held to establish *prima facie* obviousness. See MPEP § 2144.05. Therefore, it would have been obvious, at the time of the invention, to have selected the overlapping portion of the range because overlapping ranges have been held to establish *prima facie* obviousness. See MPEP § 2144.05.

Esch et al. does not expressly disclose a moisture level of 4-8% for precipitated silica.

Luginsland, also drawn to the same field of art, disclose a surface-treated hydrophobic, precipitated silica, having BET surface area of from 50 to 500 m²/g and a DBP adsorption of from 200 to 350 g/100g, and a moisture content of from 2 to 6%, preferably from 2.5 to 3.5% ([0012]). Luginsland, in addition, disclose the use of said precipitated silica in rubber compositions ([0014]).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify Esch et al. in order to include the moisture level of precipitated silica as that taught by Luginsland motivated by the fact that Luginsland teaches that its

invention provides an organosilicon mixture that has improved storage stability which is main factor in rubber technology ([0005], [0006], [0009]).

Regarding claim 2, Esch et al. disclose BET/CATB ratio of 0.8 to 1.1 (column 1, lines 45-55; column 2, lines 31-41).

Regarding claim 3, Esch et al. disclose Sears value of 6 to 20 (column 1, lines 45-55; column 2, lines 13-20).

Regarding claim 4, Esch et al. disclose CTAB surface area of 30 to 350 m²/g (column 1, lines 45-55).

Regarding claim 5, Esch et al. disclose DBP value of 150 to 300 (column 1, lines 45-55). Luginsland teaches precipitated silica having DBP value of preferably from 210 to 250 g/100 g ([0012]).

Regarding claims 6-7, Esch et al. disclose BET surface area of 35 to 350 m²/g (column 1, lines 45-55; column 2, lines 13-20, 31-41). Luginsland discloses BET surface area of from 50 to 200 m²/g, preferably from 80 to 120 m²/g ([0012]).

Regarding claim 18, Esch et al. disclose the same structure for the organosilanes used to modify precipitated silica (column 2, lines 66-67; column 3, lines 1-31).

Regarding claim 19, Esch et al. disclose a similar organosilane compound, used to modify precipitated silica, based on formula (III), $R_n^1(RO)_{3-n}Si(Alkenyl)$, in which $n=3$ and R^1 : alkyl (column 3, lines 5-14). It is noted that based on the recitation of claim 19 of "... $SiR_{4-n}^2X_n$ (where $n=1, 2, 3, 4$)..." as one type of organosilanes, and considering $n=1$, X :alkenyl, and R^2 :alkyl, Esch et al. reads on the limitations of claim 19.

Regarding claims 23 and 25-26, Esch et al. disclose a vulcanizable rubber compounds comprising of disclosed precipitated silica having substantially overlapping ranges of the physiochemical properties as discussed in details above (column 1, lines 40-67; column 2, lines 13-20, 31-41; column 3, lines 42-45).

Esch et al. teach a substantially similar structure for the organosilanes used to modify precipitated silica as discussed in details above (column 2, lines 65-67; column 3, lines 1-31).

Regarding claim 24, Esch et al., as discussed in details above, disclose precipitated silica having substantially overlapping ranges of physiochemical properties as claimed in the instant invention.

Furthermore, claim 24 is a product-by-process claim. With reference to product-by-process claims, MPEP states:

"[E]ven though product-by-process claims are limited by and defined by the process, determination of patentability is based on the product itself. The patentability of a product does not depend on its method of production. If the product in the product-

by-process claim is the same as or obvious from a product of the prior art, the claim is unpatentable even though the prior product was made by a different process."

Regarding claim 27, Esch et al. disclose that modification with organosilanes may be performed in mixtures of 0.5 to 50 parts of organosilanes, related to 100 parts of precipitated silica, in particular 2-15 parts, related to 100 parts of precipitated silica, wherein the reaction between the precipitated silica and silane may be performed during compounding (in situ) or outside the compounding process (premodified).

Regarding claim 28, Esch et al., as discussed in details above, disclose vulcanizable rubber compounds which have the precipitated silica being incorporated into them (column 1, lines 40-67; column 2, lines 12-20, 31-41; column 3, lines 42-45; column 4, lines 30-33). In addition, Luginsland discloses the damping element, tire treads, conveyor belts, shoe soles and more being made from incorporating precipitated silica into them ([0018]).

Regarding claim 29, Esch et al. disclose the claimed precipitated silica and its properties, as discussed in details above; furthermore, the prior art disclose incorporating/adding it into vulcanizable rubber compounds (column 1, lines 40-67; column 2, lines 12-20, 31-41; column 3, lines 42-45; column 4, lines 30-33).

Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Esch et al. in view of Luginsland as applied to claim 1 above and further in view of Uhrlandt et al.

Regarding claim 8, Esch et al. in view of Luginsland disclose precipitated silica having overlapping ranges of the physical and chemical properties as that claimed in the instant application.

Although the references as combined do not disclose a ratio of Sears value to the BET surface are of from 0.180 to 0.370, Uhrlandt et al., also drawn to precipitated silica, disclose BET surface area of between 120-300 m²/g and Sears index of between 6-25 ml which would result in a range of Sears value to BET ratio of from about 0.02 to 0.208 (Abstract; columns 1-2). Furthermore, Uhrlandt et al. disclose CTAB surface area of from 100-300, ratio of BET to CTAB of from 0.8-1.3, and DBP index of from 150-300.

Therefore, it would have been obvious to modify Esch et al. in view of Luginsland in order to obtain a ratio of Sears value to BET within the range 0.180 to 0.370 as that taught by Uhrlandt et al. motivated by the fact that Uhrlandt et al. teach a substantially similar precipitated silica having substantially similar physical and chemical properties; furthermore, this combination is motivated by the fact that said silica (Uhrlandt et al.) can be dispersed significantly better in rubber mixtures (column 2, lines 34-65).

Claims 1-5, 7-8, 18-19, and 23-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over US Patent No. 6,180,076 to Uhrlandt et al. in view of Boyer et al.

Regarding claims 1-5, 7-8, 18-19, 23-31, Uhrlandt et al. disclose precipitated silica with the physiochemical properties such as BET surface area of 120-300 m²/g, CTAB surface area of 100-300 m²/g, BET/CTAB surface area ratio of 0.8-1.3, DBP value of 150-300 ml/100 g, Sears value of 6-25 (Abstract, columns 1-2). The ratio of Sears value to BET, as calculated, is found to be between 0.02-0.208 (6/300 and 25/120).

Uhrlandt et al. teach a composition having overlapping ranges of physiochemical properties as that claimed in the instant invention for the substantially similar composition. Even though the reference does not disclose an anticipatory example or range, which is sufficiently specific to anticipate the present claims, as noted above, the reference teaches overlapping ranges of physiochemical properties for the same composition with the present claims, and overlapping ranges have been held to establish *prima facie* obviousness. See MPEP § 2144.05. Therefore, it would have been obvious, at the time of the invention, to have selected the overlapping portion of the range because overlapping ranges have been held to establish *prima facie* obviousness. See MPEP § 2144.05.

Uhrlandt et al. disclose substantially similar structure for the organosilanes used to modify precipitated silica (column 3, lines 55-67 to column 3, lines 1-31). Moreover, Uhrlandt et al. disclose a similar organosilane compound, used to modify precipitated silica, based on formula (III), $R_n^1(RO)_{3-n}Si(Alkenyl)$, in which $n=3$ and R^1 : alkyl. It is noted that based on the recitation of claim 19 of "...SiR²_{4-n}X_n (where $n=1, 2, 3, 4$)..." as one type of organosilanes, and considering $n=1$, X:alkenyl, and R^2 :alkyl, Uhrlandt et al. reads on the limitations of claim 19. In addition, Uhrlandt et al. disclose a vulcanizable

rubber compounds comprising of disclosed precipitated silica having substantially overlapping ranges of the physiochemical properties as discussed in details above. Further, Uhrlandt et al. teach a substantially similar structure for the organosilanes used to modify precipitated silica as discussed in details above. Furthermore, Uhrlandt et al. disclose the use of said silica as a battery separator, as filler for vulcanizable mixtures for the production of the tires, or etc. (Abstract; column 5, lines 28-33). Finally, Uhrlandt et al. disclose the from 0.5 to 50 parts of organosilanes based on 100 parts of silica, in particular 2 to 15 parts based on 100 parts of silica wherein the modification with silane may be carried out during the preparation of the mixture (in situ) or externally (premodification) (column 4, lines 23-31).

With reference to moisture level, it is noted that the Uhrlandt et al. disclose substantially similar precipitated silica with overlapping ranges in the disclosed physiochemical properties as that claimed in the instant invention for precipitated silica, which has substantially similar intended use. The prior art do not expressly disclose a moisture level; however, Uhrlandt et al. disclose a substantially similar process of making (columns 2-4) for the precipitated silica which has similar intended use such as in vulcanizable rubber mixture. Uhrlandt et al., further, disclose that said invention develops precipitated silica which can be dispersed significantly better in rubber mixtures (column 1, lines 34-37). Thus, a moisture level, within the claimed range, is expected from the disclosed precipitated silica.

Boyer et al., also drawn to precipitated silica having similar physiochemical properties such as overlapping ranges of CTAB, 140 to 185 m²/g, and DBP, 210 to 310

cm³/g, expressly disclose that variations in the parameters and/or conditions during production result in variations in the types of precipitated silica produced (Abstract; column 1, lines 20-23; column 2, lines 12-15, 25-2).

Therefore, at the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify Uhrlandt et al. in order to include a moisture level within the range of 4-8% motivated by the fact that Boyer et al., also drawn to the same field of art, teach that different properties can be achieved by variations in parameters and/or conditions during production.

(10) Response to Argument

Appellants have argued that as can be calculated from the examples of Esch et al., the ratio of Sears number/BET is in a range between 0.76 and 0.1125 and thus lower than the claimed 0.15 to 0.370.

The Examiner, respectfully, submits that a reference is not, only, limited to its examples, and the broad disclosure of Esch et al. on Sears values and BET provides ranges which would results in a range of ratios of Sears values to BET of 0.0571 to 0.17 as shown above and in the Non-Final mailed on July 16, 2008. Therefore, the reference discloses an overlapping range of ratios with the ones instantly claimed, and overlapping ranges have been held to establish *prima facie* obviousness. It is to be noted that instant claims were not rejected over an anticipatory rejection.

Appellants have argued that since the broad range of Esch et al. in column 1 is used to calculate the Sears/BET ratio, this might present a situation analogous to the obviousness of a species when the prior art broadly discloses a genus. *In re Baird*.

This is not found persuasive because the ratio claimed is Sears value/BET; both characteristics are disclosed by the reference. Once a ratio is obtained, it is noted that an overlapping range of ratio with the instant application is obtained and it is well established that overlapping ranges have been held to establish *prima facie* obviousness. See MPEP § 2144.05. Appellants have not proven/shown unexpected results for the product of instant application which cannot be seen in the product of the prior art of record which is drawn to the same field of art and has overlapping ranges of characteristics with the ones instantly claimed.

Appellants have argued that a *prima facie* case of obviousness based on overlapping ranges can be overcome by showing the criticality of the claimed range; then, Appellants argue that they have prepared a comparative example comparing the present application with Example 3 of Esch et al. (which Appellants regards as the most important Example of Esch et al. and the closet art) in a declaration.

The Examiner, respectfully, submits that although it is accurate to be able to overcome a *prima facie* case of obviousness based on overlapping ranges by showing the criticality of the claimed range, such criticality has not been shown or established by the declaration. The declaration is not commensurate with the scope of the claims; it does not present a series of measurements of the characteristics recited in instant

claims for the product of the prior art to be compared with that of instant invention to show any criticality.

MPEP 716.02(d) states:

"Whether the unexpected results are the result of unexpectedly improved results or a property not taught by the prior art, the "objective evidence of nonobviousness must be commensurate in scope with the claims which the evidence is offered to support." In other words, the showing of unexpected results must be reviewed to see if the results occur over the entire claimed range". *In re Clemens*, 622 F.2d 1029, 1036, 206 USPQ 289, 296 (CCPA 1980).

Also,

"To establish unexpected results over a claimed range, applicants should compare a sufficient number of tests both inside and outside the claimed range to show the criticality of the claimed range". *In re Hill*, 284 F.2d 955, 128 USPQ 197 (CCPA 1960).

A comparison of only one example, that being silica III, defined in the instant examples is insufficient to establish criticality over the broad precipitated silica's claimed because said silica III only defines specific properties, those of which are much more narrow when compared to what is claimed, thus said silica III is not sufficient to establish criticality over what is broadly claimed.

Also, Appellants have not show their basis of considering Example 3 of Esch as the most important example of the prior art specially because the closest prior art is the entire disclosure of Esch et al. and not only their examples.

In short, the Examiner, as clearly had pointed out above and in previous Actions, has indicated that the broad disclosure of the reference makes the instant invention obvious over prior art.

Furthermore, a reference should be considered as a whole, not only based in its examples (a reference can be used for all it realistically teaches and is not limited to only the examples). In view of this, reliance on only the examples, as appellants have done, is improper.

Appellants have argued that based on the declaration, the silica of instant application have greatly improved properties.

However, it is, respectfully, submitted that Appellants have not provided any hard and tangible evidence proving that the silica of the prior art, which is from references of the same field of art and have overlapping ranges of the characteristics claimed, does not have the improved properties as indicated by Appellants.

Appellants have disagreed with the Examiner's statement that the declaration is not commensurate with the scope of the claims; they continue by indicating that using the silicas of the present invention leads to drastically shorter vulcanization times, greater vulcanization rates and lower Mooney viscosities.

The Examiner, respectfully, submits that the declaration is not commensurate with the scope of the claims because it does not present a series of measurements reflecting the characteristics recited in instant claims for the silica of instant invention and that of the prior art, in their broadest disclosure and not only in view of one of their examples, to show unexpected results or criticality of the values recited in instant claims.

With reference to Appellants' argument drawn to references individually, it is to be noted that one cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. See *In re Keller*, 642 F.2d 413, 208 USPQ 871 (CCPA 1981); *In re Merck & Co.*, 800 F.2d 1091, 231 USPQ 375 (Fed. Cir. 1986).

Appellants have argued that the parameter ratio of Sears value to BET is not mentioned in Uhrlandt et al.; therefore, Uhrlandt et al. did not know about the importance of said parameter.

It is, respectfully, submitted that Uhrlandt et al. in view of Boyer et al. was used in a 103(a) obviousness rejection and not in a 102 anticipatory rejection. Furthermore, said ratio as shown above was calculated based on the disclosure of Uhrlandt et al. on the Sears value and BET which was found to have overlapping ranges with the ones instantly claimed, and overlapping ranges have been held to establish prima facie obviousness. Uhrlandt et al., in their disclosure, teaches substantially overlapping ranges of Sears value and BET which when Sears/BET ratios thereof are calculated, an overlapping range of ratios, compared to the claimed ones, is obtained.

Appellants have argued that the specification contains data for the claimed invention showing the criticality of the claimed ratio range.

It is to be noted that the specification or declaration do not compare the silica of instant invention with that of the prior art of record (in their broadest disclosure and not only in view of one of their examples) to show criticality.

Appellants have traversed the provisional double patenting rejection.

The Examiner, respectfully, submits that the provisional double patenting rejection, as repeated above and the Non-Final mailed on July 16, 2008, is proper. As can be seen in 10/542,763, claims 1-9, 16-18, and 19-21 teach substantially overlapping ranges with that claimed in claims 1-8, 18-19, 21-23, and 27 of the instant application, and the ratio of BET/CTAB is obvious over the claimed ranges of BET and CTAB of application 10/542,763.

Additionally, to the contrary to what the Appellants in the Appeal Brief, the provisional double-patenting rejection is not the only issue remaining in the case; every other rejection is proper and stand as detailed out above.

(11) Related Proceeding(s) Appendix

No decision rendered by a court or the Board is identified by the examiner in the Related Appeals and Interferences section of this examiner's answer.

For the above reasons, it is believed that the rejections should be sustained.

Respectfully submitted,

/Pegah Parvini/

Examiner, Art Unit 1793

Conferees:

/J.A. LORENZO/

Supervisory Patent Examiner, Art Unit 1793

/Roy King/

Supervisory Patent Examiner, Art Unit 1793